


Rugged Handheld

H68T

- Helio G99 octa-core CPU Running on the latest Android 14 OS;
- 6.56" incell screen, supports wet hand and glove touch;
- Front 32MP Ultra HD lens, 48MP Samsung Main Camera;
- Professional 1D/2D scanning engine, reading distance up to 10 meters;
- 5800mAh battery, supports reverse charging mode;
- Powerful speakers with Smart PA technology, perfect for outdoor use;
- IP68 Rating, drop resistance up to 1.5 meters.



Octa-core ARM Processor



Android 14 Operating System



6.56-inch Display



670cd/cm²



5800mAh
17hrs+



Front 32MP
Rear 48MP



GPS/GLONASS/
beidou/Galileo



IP68




Rugged Handheld H68T

Specifications


 **CPU**
Octa-core ARM processor


 **Operating System**
Android 14/GMS


 **Memory**
RAM: 8GB LPDDR4X
ROM: 128GB UFS2.2
Optional 8+256GB for batch order


 **Display**
Type: TFT
Size: 6.56 inch 20:9
Resolution: 720*1612
Brightness: 670cd/cm²


 **Touch Panel**
5 points Capacitive

 **Dimension/Weight**
170.2*80.7*14 mm
About 311g

 **Buttons**
Power & Fingerprint *1
Volume + Key *1
Volume - Key *1
Barcode Scanning Key *2
(Barcode scanning by default)


 **Speaker**
7Ω/1.5W Speaker *1
Earphone *1
Dual-MIC
Motor *1
Audio SMART PA


 **Camera**
Front 32MP(Fixed Focus)
Rear Main Camera 48MP
(Autofocus, Supports PDAF)
Rear Secondary Camera 8MP
(Wide-angle)

 **Battery**
Built-in Polymer Lithium-ion Battery
5800mAh/3.85V
Battery Life: About 17h24min

 **Internet**
4G/Dual-band WiFi/BT5.1


 **GPS**
GPS/GLONASS/Beidou/Galileo


 **NFC**
Supports ISO18092, ISO14443 A/B,
ISO15693 protocols, Mifare compliance
Card reading distance: 0-4 cm
Frequency: 13.56MHz

 **Data Collection**
Integrated 1D/2D Barcode Scanner
Reading Distance: 0-10m

 **Certification**
IP68

 **Adapter**
33W Fast Charge Adapter

 **Rugged Features**
Drop height:1.5m Composite wood
floor working
Working temperature: -20 °C to 60 °C
Storage temperature: -30 °C to 70 °C
Humidity: 95% Non-Condensing

 **I/O Interface**
Type C *1 (Charging/Data/
Earphone/Reverse Charging 6W)
2 of 3 card slot:
Micro Sim+TF or Micro Sim+Nano
Sim
Pogo Pin (Charging) *1

Rugged Handheld H68T

Product Six Views

